ELSEVIER

Journal of Organometallic Chemistry 656 (2002) 307–308

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 656

Abram, U., 1
Adams, H., 270
Albus, S., 288
Al-Hamad, A.J.H., 274
Alley, S.R., 120
Alonso-Moreno, C., 129
Al-Rubaie, A.Z., 274
Amberger, H.-D., 18
Antiñolo, A., 129
Ayazi, A., 71

Badshah, A., 97
Bain, A.D., 243
Baker, R.J., 203
Batsanov, A.S., 211
Bekir Peynircioglu, N., 11
Belanzoni, P., 156
Binger, P., 288
Blacque, O., 139
Blair, S., 43
Bradley, S., 49
Braga, D., 188
Britten, J.F., 243
Bryce, M.R., 211
Bueno, A., 304

Camm, K.D., 49
Carballo, R., 1
Casagrande, G.A., 177
Casas, J.S., 1
Catasús, M., 304
Chen, Y.-C., 199
Cheng, H.-W., 228
Clegg, W., 43
Corradi, M.M., 49
Costa, M., 57
Cunha-Silva, L., 281

Darkwa, J., 262
Davies, A.J., 203
de Oliveira, G.M., 177

Ebener, M., 27
Edelstein, N.M., 18
El-Qisairi, A.K., 168

Fan, H.-T., 228
Faoro, E., 177
Faraldo, F., 270
Fejfarová, K., 81
Fernandes, R.M., Jr., 177
Fernández, J.J., 270
Fernández, A., 270
Furtado, S.J., 49

Gallou, F., 81
García-Martínez, E., 1
Garcia-Monteagudo, J.C., 1
Gentil, S., 81
Gervasio, G., 57
Gloriozov, I., 27
Gonçalves, I.S., 281
Grepioni, F., 188
Gulon, T., 116
Günther, H., 27

Hameed, A., 102
Harrington, L.E., 243
Henderson, W., 120, 262
Henderson, K.W., 63
Henry, P.M., 168
Herberhold, M., 71
Hind, A., 63
Horáček, M., 81
Hu, Q.-M., 228
Hughes, D.W., 243

Ignatyev, I.S., 258
Iwuoha, E.I., 262
Izod, K., 43

Jank, S., 18
Jones, C., 203

Kakusawa, N., 234
Kennedy, A.R., 63
Kloth, M., 203
Kochina, T.A., 258
Körnich, J., 89
Krüger, C., 288
Kubicki, M.M., 139
Kubišta, J., 81
Kühn, F.E., 281
Kurita, J., 234

Lang, E.S., 177
Lantero, D.R., 217
Lapinte, C., 146
Leblanc, J.-C., 139
Liu, S.-T., 199
López-Solera, I., 129
López-Torres, M., 270
Lovchik, M.A., 299
Lyssenko, K., 27

Mach, K., 81
Maestro, M.A., 304
Mahía, J., 304
Malyugina, S., 27
Marabello, D., 57
Mayer, P., 177
McGlinchey, M.J., 243
McGowan, P.C., 49
McKeown, A.E., 63
Meunier, P., 81
Milius, W., 71, 97
Mityuk, D., 27
Moïse, C., 139
Moutet, J.-C., 116
Moutloali, R.M., 262
Moyano, A., 304
Mstislavsky, V., 27
Müller, P., 288
Mulvey, R.E., 63
Mumtaz, R., 49

Nataro, C., 181
Neander, S., 89
Nevondo, F.A., 262
Nixon, J.F., 188, 305

Okajima, S., 234
Olbrich, F., 89
Oprunenko, Y., 27
Osada, A., 234
Otero, A., 129

Paquette, L.A., 81
Pereiras-Gabián, G., 1
Pillinger, M., 281
Pinhas, A.R., 299
Pirio, N., 81
Podubrin, S., 288
Postigo, A., 108
Prashar, S., 129

Qaseer, H.A., 168

Re, N., 156
Reddmann, H., 18
Reddy, K.R., 199
Reynes, O., 116
Rocha, J., 281
Rodríguez, A.M., 129
Rossi, R.A., 108
Rourke, K.M., 181
Royal, G., 116
Rybarczyk-Pirek, A., 102

Sadorge, A., 139
Saint-Aman, E., 116
Sánchez, A., 1
Sappa, E., 57

Elsevier Science B.V.
PII: S0022-328X(02)01692-3

Sauvageot, P., 139
Seki, H., 234
Sgamellotti, A., 156
Song, L.-C., 228
Sordo, J., 1
Štěpnička, P., 81
Suárez, A., 270
Sutcliffe, O.B., 211

Taylor, R., 43
Teixeira-Dias, J.J.C., 281
Thépot, J.-Y., 146, 243
Thornton-Pett, M., 49

Vaillard, S.E., 108
Vargas, M.D., 188
Vázquez-López, E.M., 1
Vila, J.M., 270
Villaseñor, E., 129
von Firks, G., 27
Vrazhnov, D.V., 258

Welker, M.E., 217
Wrackmeyer, B., 71, 97

Xue, W.-M., 281

Yamaguchi, K., 234
Yasuike, S., 234
Yousif, L.Z., 274
Yucel, B., 11

Zakrzewski, J., 102
Zeng, G.-H., 228
Zhang, L., 18
Ziglio, C.M., 188
Zora, M., 11

ELSEVIER

Journal of Organometallic Chemistry 656 (2002) 309–314

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Subject Index of Volume 656

Acetylacetonato–
New insights into the reactivity of the tantalocene hydride Cp'_2TaH_3 ($Cp' = \eta^5$-$^t BuC_5H_4$). Synthesis and characterisation of cationic Ta(V) complexes with 0,0 and *S*,*N* chelating ligands, 139
Air-stable ligands
'User-friendly' primary phosphines and an arsine: synthesis and characterization of new air-stable ligands incorporating the ferrocenyl group, 120
Alkali metals
Novel fluorenyl alkali metal DIGLYME complexes: synthesis and solid state structures, 89
Alkylidenefuranone
Coupling of ferrocenyl chromium carbene complex with cyclobutenediones, 11
Alkynes
Coupling reactions of manganese(I) cyclometallated compounds derived from heterocyclic N-donor ligands with alkynes, 270
Aluminium hydride
Structural and spectroscopic studies of carbene and N-donor ligand complexes of Group 13 hydrides and halides, 203
Amides
Synthesis of zirconocene amides and ketimides and an investigation into their ethylene polymerization activity, 63
2-Aminobenzenethiolato–
New insights into the reactivity of the tantalocene hydride Cp'_2TaH_3 ($Cp' = \eta^5$-$^t BuC_5H_4$). Synthesis and characterisation of cationic Ta(V) complexes with 0,0 and *S*,*N* chelating ligands, 139
[2+2] and [3+2] Cycloadditions
Bis(η^5-cyclopentadienyl)- and bis(η^5-indenyl)metallacycles of titanium and zirconium from methylenecyclopropanes by oxidative coupling, 288
ansa-Metallocene complexes
Niobium, titanium, zirconium and hafnium complexes incorporating germanium bridged *ansa* ligands. X-Ray crystal structures of $[Zr\{Me_2Ge(\eta^5\text{-}C_5Me_4)_2\}Cl_2]$ and $[M\{Me_2Ge(\eta^5\text{-}C_5Me_4)(\eta^5\text{-}C_5H_4)\}Cl_2]$ (M = Zr, Hf), 129
Antimony
Synthesis of Sb-chiral organoantimony compounds having intramolecular Sb···N interaction and their separation into optically pure compounds via *ortho*-palladated benzylamine complexes, 234
Arylnitriles
Palladium-catalyzed formation of 3,5-diaryl-1,2,4-selenadiazoles from arylselenocarboxamide, 274
Arylselenocarboxamides
Palladium-catalyzed formation of 3,5-diaryl-1,2,4-selenadiazoles from arylselenocarboxamide, 274
Asymmetric
Oxidation of olefins by palladium(II). 18. Effect of reaction conditions, substrate structure and chiral ligand on the bimetallic palladium(II) catalyzed asymmetric chlorohydrin synthesis, 168
ATP
Amplification upon polymerization of the electrochemical anion sensing properties of an amidoferrocene monoreceptor molecule, 116

Bimetallic nickel complexes
Bimetallic nickel complexes with bridging dithiolato Schiff base ligands: synthesis, mass spectral characterisation and electrochemistry, 262
Biphenylene
Chromium tricarbonyl complexes with biphenylene as η^6 ligand: synthesis, structure, dynamic behaviour in solid state and thermal η^6,η^6-haptotropic rearrangements. Experimental (NMR) and theoretical (DFT) studies, 27
1,3-Bisfunctionalised ferrocene
Synthesis and reactivity of Group 14 substituted amino-functionalised cyclopentadienyl compounds, 49
Bis(η^5-indenyl)zirconium complexes
Bis(η^5-cyclopentadienyl)- and bis(η^5-indenyl)metallacycles of titanium and zirconium from methylenecyclopropanes by oxidative coupling, 288
Bis(trimethylsilyl)ethyne complexes
Syntheses and properties of some *exo*,*exo*-bis(isodicyclopentadienyl)titanium low-valent complexes, 81
Bond dissociation enthalpy
Electrochemistry of $Ru_2Cp'_2(CO)_4$ and $Ru_2Cp_2(CO)_3(PMe_3)$ and the estimation of $Ru_2(\mu\text{-}H)$ bond dissociation enthalpies, 181
Boron
Hexa(1-alkynyl)disilanes. Synthesis, structure and 1,1-ethylboration, 97
Bridging hydride
Electrochemistry of $Ru_2Cp'_2(CO)_4$ and $Ru_2Cp_2(CO)_3(PMe_3)$ and the estimation of $Ru_2(\mu\text{-}H)$ bond dissociation enthalpies, 181

Carbene
Structural and spectroscopic studies of carbene and N-donor ligand complexes of Group 13 hydrides and halides, 203
Carbon chain bridged metals
Carbon chain bridged metals: a theoretical approach. Odd chains, 156
Carbonyl
Synthesis and characterisation of derivatives of $[HIr_4(CO)_{10}(\mu\text{-}PPh_2)]$ with mono and diphosphines; X-ray molecular structures of $[HIr_4(CO)_8(PPh_3)_2(\mu\text{-}PPh_2)]$ and $[HIr_4(CO)_8\{Ph_2P\text{-}(CH_2)_nPPh_2\}(\mu\text{-}PPh'_2)]$ ($n = 1$ and 4), 188
Carbonyl complexes
Reaction of bromopentacarbonylrhenium(I) with ferrocenylcarbaldehyde thiosemicarbazones: the first X-ray diffraction studies of metal carbonyl complexes containing bidentate thiosemicarbazone ligands, 1
Carboxylato–
New insights into the reactivity of the tantalocene hydride Cp'_2TaH_3 ($Cp' = \eta^5$-$^t BuC_5H_4$). Synthesis and characterisation of cationic Ta(V) complexes with 0,0 and *S*,*N* chelating ligands, 139
Catalysis
Oxidation of olefins by palladium(II). 18. Effect of reaction

Elsevier Science B.V.
PII: S0022-328X(02)01693-5

conditions, substrate structure and chiral ligand on the bimetallic palladium(II) catalyzed asymmetric chlorohydrin synthesis, 168
Synthesis of zirconocene amides and ketimides and an investigation into their ethylene polymerization activity, 63
Chiral ligands
Synthesis of novel chiral bis(ferrocenyl) ligands and their use as voltammetric metal cation sensors, 211
Chlorohydrins
Oxidation of olefins by palladium(II). 18. Effect of reaction conditions, substrate structure and chiral ligand on the bimetallic palladium(II) catalyzed asymmetric chlorohydrin synthesis, 168
Cluster
Synthesis and characterisation of derivatives of $[HIr_4(CO)_{10}(\mu\text{-}PPh_2)]$ with mono and diphosphines; X-ray molecular structures of $[HIr_4(CO)_8(PPh_3)_2(\mu\text{-}PPh_2)]$ and $[HIr_4(CO)_8\{Ph_2P\text{-}(CH_2)_nPPh_2\}(\mu\text{-}PPh_2)]$ ($n = 1$ and 4), 188
Cobaloxime η^1-allyl complexes
Reactions of cobaloxime η^1-allyl complexes with electron deficient alkenes, 217
Cobalt carbonyls
The reaction of $Co_2(CO)_8$ and $Co_4(CO)_{12}$ with the dipropargylamine $[(HC{\equiv}CCMe_2)_2NMe]$. Synthesis and crystal structure of the complex $Co_4(CO)_{10}(\mu\text{-}CO)[H_2C{=}CC(Me)_2N(Me)C(Me_2)\text{-}C(\mu_4\text{-}C)]$, 57
Coupling
Coupling of ferrocenyl chromium carbene complex with cyclobutenediones, 11
Crystal structure
The reaction of $Co_2(CO)_8$ and $Co_4(CO)_{12}$ with the dipropargylamine $[(HC{\equiv}CCMe_2)_2NMe]$. Synthesis and crystal structure of the complex $Co_4(CO)_{10}(\mu\text{-}CO)[H_2C{=}CC(Me)_2N(Me)C(Me_2)\text{-}C(\mu_4\text{-}C)]$, 57
Crystal structures
Isolation and structural characterisation of two sterically crowded diphosphanes, 43
New insights into the reactivity of the tantalocene hydride Cp'_2TaH_3 ($Cp' = \eta^5\text{-}{}^tBuC_5H_4$). Synthesis and characterisation of cationic Ta(V) complexes with 0,0 and *S*,*N* chelating ligands, 139
Structural and spectroscopic studies of carbene and N-donor ligand complexes of Group 13 hydrides and halides, 203
Syntheses and properties of some *exo*,*exo*-bis(isodicyclopentadienyl)titanium low-valent complexes, 81
Synthesis of novel chiral bis(ferrocenyl) ligands and their use as voltammetric metal cation sensors, 211
Cumulenic versus polyynyl/carbyne valence structure
Carbon chain bridged metals: a theoretical approach. Odd chains, 156
Cyclic voltammetry
Bimetallic nickel complexes with bridging dithiolato Schiff base ligands: synthesis, mass spectral characterisation and electrochemistry, 262
Preparation and characterization of substituted pentaarylcyclopentadienyliron dicarbonyl bromide complexes containing methyl or fluorine substituents on the arene rings, 146
Cyclobutenedione
Coupling of ferrocenyl chromium carbene complex with cyclobutenediones, 11
Cyclodextrins
Synthesis and characterization of the inclusion compound of a methyltrioxorhenium(VII) adduct of 4-ferrocenylpyridine with β-cyclodextrin, 281
Cyclometallation
Coupling reactions of manganese(I) cyclometallated compounds derived from heterocyclic N-donor ligands with alkynes, 270
Cyclopentadienyl compounds
Synthesis and reactivity of Group 14 substituted amino-functionalised cyclopentadienyl compounds, 49
Cyclopentenedione
Coupling of ferrocenyl chromium carbene complex with cyclobutenediones, 11

Density functional calculations
Carbon chain bridged metals: a theoretical approach. Odd chains, 156
Density function theory
Chromium tricarbonyl complexes with biphenylene as η^6 ligand: synthesis, structure, dynamic behaviour in solid state and thermal η^6,η^6-haptotropic rearrangements. Experimental (NMR) and theoretical (DFT) studies, 27
3,5-Diaryl-1,2,4-selenadiazoles
Palladium-catalyzed formation of 3,5-diaryl-1,2,4-selenadiazoles from arylselenocarboxamide, 274
Diethyleneglycol–dimethylether
Novel fluorenyl alkali metal DIGLYME complexes: synthesis and solid state structures, 89
Dihydrogenphosphate
Amplification upon polymerization of the electrochemical anion sensing properties of an amidoferrocene monoreceptor molecule, 116
Dipropargylamines
The reaction of $Co_2(CO)_8$ and $Co_4(CO)_{12}$ with the dipropargylamine $[(HC{\equiv}CCMe_2)_2NMe]$. Synthesis and crystal structure of the complex $Co_4(CO)_{10}(\mu\text{-}CO)[H_2C{=}CC(Me)_2N(Me)C(Me_2)\text{-}C(\mu_4\text{-}C)]$, 57
Disilanes
Hexa(1-alkynyl)disilanes. Synthesis, structure and 1,1-ethylboration, 97
Dithiolato Schiff base
Bimetallic nickel complexes with bridging dithiolato Schiff base ligands: synthesis, mass spectral characterisation and electrochemistry, 262

Electrochemical sensing
Amplification upon polymerization of the electrochemical anion sensing properties of an amidoferrocene monoreceptor molecule, 116
Electrochemistry
Electrochemistry of $Ru_2Cp'_2(CO)_4$ and $Ru_2Cp_2(CO)_3(PMe_3)$ and the estimation of $Ru_2(\mu\text{-}H)$ bond dissociation enthalpies, 181
Synthesis of novel chiral bis(ferrocenyl) ligands and their use as voltammetric metal cation sensors, 211
Electron deficient alkenes
Reactions of cobaloxime η^1-allyl complexes with electron deficient alkenes, 217
ESR
Preparation and characterization of substituted pentaarylcyclopentadienyliron dicarbonyl bromide complexes containing methyl or fluorine substituents on the arene rings, 146
ESR spectra
Syntheses and properties of some *exo*,*exo*-bis(isodicyclopentadienyl)titanium low-valent complexes, 81
Far-FTIR spectroscopy
Preparation and characterization of substituted pentaarylcyclopentadienyliron dicarbonyl bromide complexes containing methyl or fluorine substituents on the arene rings, 146

Ferrocene
Amplification upon polymerization of the electrochemical anion sensing properties of an amidoferrocene monoreceptor molecule, 116

Coupling of ferrocenyl chromium carbene complex with cyclobutenediones, 11
Reaction of bromopentacarbonylrhenium(I) with ferrocenylcarbaldehyde thiosemicarbazones: the first X-ray diffraction studies of metal carbonyl complexes containing bidentate thiosemicarbazone ligands, 1
Synthesis of novel chiral bis(ferrocenyl) ligands and their use as voltammetric metal cation sensors, 211
Ferrocene derivatives
Synthesis and characterization of the inclusion compound of a methyltrioxorhenium(VII) adduct of 4-ferrocenylpyridine with β-cyclodextrin, 281
Ferrocenes
Silyl derivatives of ferrocene with pending indenyl or fluorenyl substituents at silicon, 71
Ferrocenyl carbene
Coupling of ferrocenyl chromium carbene complex with cyclobutenediones, 11
Ferrocenyl group
'User-friendly' primary phosphines and an arsine: synthesis and characterization of new air-stable ligands incorporating the ferrocenyl group, 120
Fischer carbene
Coupling of ferrocenyl chromium carbene complex with cyclobutenediones, 11
Fluorenyl
Novel fluorenyl alkali metal DIGLYME complexes: synthesis and solid state structures, 89
Silyl derivatives of ferrocene with pending indenyl or fluorenyl substituents at silicon, 71
Functionalized polypyrrole
Amplification upon polymerization of the electrochemical anion sensing properties of an amidoferrocene monoreceptor molecule, 116

Germanium
Niobium, titanium, zirconium and hafnium complexes incorporating germanium bridged *ansa* ligands. X-Ray crystal structures of $[Zr\{Me_2Ge(\eta^5\text{-}C_5Me_4)_2\}Cl_2]$ and $[M\{Me_2Ge(\eta^5\text{-}C_5Me_4)(\eta^5\text{-}C_5H_4)\}Cl_2]$ (M = Zr, Hf), 129
Group 14 derivatives
Synthesis and reactivity of Group 14 substituted amino-functionalised cyclopentadienyl compounds, 49

Hafnium
Niobium, titanium, zirconium and hafnium complexes incorporating germanium bridged *ansa* ligands. X-Ray crystal structures of $[Zr\{Me_2Ge(\eta^5\text{-}C_5Me_4)_2\}Cl_2]$ and $[M\{Me_2Ge(\eta^5\text{-}C_5Me_4)(\eta^5\text{-}C_5H_4)\}Cl_2]$ (M = Zr, Hf), 129
^1H and ^{13}C high-resolution and CP MAS-NMR spectroscopy
Chromium tricarbonyl complexes with biphenylene as η^6 ligand: synthesis, structure, dynamic behaviour in solid state and thermal η^6,η^6-haptotropic rearrangements. Experimental (NMR) and theoretical (DFT) studies, 27
Haptotropic rearrangements
Chromium tricarbonyl complexes with biphenylene as η^6 ligand: synthesis, structure, dynamic behaviour in solid state and thermal η^6,η^6-haptotropic rearrangements. Experimental (NMR) and theoretical (DFT) studies, 27
Heterocyclic organic molecules
The reaction of $Co_2(CO)_8$ and $Co_4(CO)_{12}$ with the dipropargylamine $[(HC{\equiv}CCMe_2)_2NMe]$. Synthesis and crystal structure of the complex $Co_4(CO)_{10}(\mu\text{-}CO)[H_2C{=}CC(Me)_2N(Me)C(Me_2)\text{-}C(\mu_4\text{-}C)]$, 57
Hindered naphthyl rotation
Rhodium complexes of 3,4-di(β-naphthyl)-2,5-diarylcyclopentadienone: indirect detection of slowed naphthyl rotation, 243
Homogeneous catalysis
Niobium, titanium, zirconium and hafnium complexes incorporating germanium bridged *ansa* ligands. X-Ray crystal structures of $[Zr\{Me_2Ge(\eta^5\text{-}C_5Me_4)_2\}Cl_2]$ and $[M\{Me_2Ge(\eta^5\text{-}C_5Me_4)(\eta^5\text{-}C_5H_4)\}Cl_2]$ (M = Zr, Hf), 129
Hypervalent silicon
Mechanistic studies on the reactions of trimethylsilanide and trimethylstannylide ions with haloarenes in hexamethylphosphoramide, 108

Imidazoline
Synthesis of novel chiral bis(ferrocenyl) ligands and their use as voltammetric metal cation sensors, 211
Imine
Ligand effect on the cationic palladium complexes in polymerization of vinyl ethers, 199
Inclusion compounds
Synthesis and characterization of the inclusion compound of a methyltrioxorhenium(VII) adduct of 4-ferrocenylpyridine with β-cyclodextrin, 281
Indenyl
Silyl derivatives of ferrocene with pending indenyl or fluorenyl substituents at silicon, 71
Indium halide
Structural and spectroscopic studies of carbene and N-donor ligand complexes of Group 13 hydrides and halides, 203
Insertion
Coupling reactions of manganese(I) cyclometallated compounds derived from heterocyclic N-donor ligands with alkynes, 270
Ion–molecule
Radiochemical study of the gas phase reaction of nucleogenic diethylsilylium ions with methanol and butanol, 258
Iridium
Synthesis and characterisation of derivatives of $[HIr_4(CO)_{10}(\mu\text{-}PPh_2)]$ with mono and diphosphines; X-ray molecular structures of $[HIr_4(CO)_8(PPh_3)_2(\mu\text{-}PPh_2)]$ and $[HIr_4(CO)_8\{Ph_2P(CH_2)_nPPh_2\}(\mu\text{-}PPh_2)]$ (n = 1 and 4), 188
Isodicyclopentadienyl ligand
Syntheses and properties of some *exo,exo*-bis(isodicyclopentadienyl)titanium low-valent complexes, 81
Isomerisation
Synthesis and characterisation of derivatives of $[HIr_4(CO)_{10}(\mu\text{-}PPh_2)]$ with mono and diphosphines; X-ray molecular structures of $[HIr_4(CO)_8(PPh_3)_2(\mu\text{-}PPh_2)]$ and $[HIr_4(CO)_8\{Ph_2P(CH_2)_nPPh_2\}(\mu\text{-}PPh_2)]$ (n = 1 and 4), 188

Ketimides
Synthesis of zirconocene amides and ketimides and an investigation into their ethylene polymerization activity, 63
Kinetics
Chromium tricarbonyl complexes with biphenylene as η^6 ligand: synthesis, structure, dynamic behaviour in solid state and thermal η^6,η^6-haptotropic rearrangements. Experimental (NMR) and theoretical (DFT) studies, 27

Lewis acid
The rearrangement of 3-vinylcyclobutene derivatives promoted by metallic Lewis acids, 299
Lewis base adducts
Synthesis and characterization of the inclusion compound of a methyltrioxorhenium(VII) adduct of 4-ferrocenylpyridine with β-cyclodextrin, 281

Manganese
Coupling reactions of manganese(I) cyclometallated compounds derived from heterocyclic N-donor ligands with alkynes, 270

Mass spectrometry
Bimetallic nickel complexes with bridging dithiolato Schiff base ligands: synthesis, mass spectral characterisation and electrochemistry, 262
Methylenecyclopropane
Bis(η^5-cyclopentadienyl)- and bis(η^5-indenyl)metallacycles of titanium and zirconium from methylenecyclopropanes by oxidative coupling, 288
Methyltrioxorhenium
Synthesis and characterization of the inclusion compound of a methyltrioxorhenium(VII) adduct of 4-ferrocenylpyridine with β-cyclodextrin, 281
MoNiFeS clusters
Syntheses and structural characterization of transition metal tetrahedral clusters (η^5-RC_5H_4)$(CO)_8MoRu_2H(\mu_3$-S) and [(η^5-RC_5H_4)$(CO)_4MoRu(\mu_3$-S)]$_2$ generated by isolobal reactions, 228
$MoRu_2S$ clusters
Syntheses and structural characterization of transition metal tetrahedral clusters (η^5-RC_5H_4)$(CO)_8MoRu_2H(\mu_3$-S) and [(η^5-RC_5H_4)$(CO)_4MoRu(\mu_3$-S)]$_2$ generated by isolobal reactions, 228
$Mo_2Ru_2S_2$ clusters
Syntheses and structural characterization of transition metal tetrahedral clusters (η^5-RC_5H_4)$(CO)_8MoRu_2H(\mu_3$-S) and [(η^5-RC_5H_4)$(CO)_4MoRu(\mu_3$-S)]$_2$ generated by isolobal reactions, 228

N-donor
Structural and spectroscopic studies of carbene and N-donor ligand complexes of Group 13 hydrides and halides, 203
Niobium
Niobium, titanium, zirconium and hafnium complexes incorporating germanium bridged *ansa* ligands. X-Ray crystal structures of [Zr{$Me_2Ge(\eta^5$-$C_5Me_4)_2$}Cl_2] and [M{$Me_2Ge(\eta^5$-$C_5Me_4)(\eta^5$-$C_5H_4)$}Cl_2] (M = Zr, Hf), 129
Nitrogen heterocycles
Coupling reactions of manganese(I) cyclometallated compounds derived from heterocyclic N-donor ligands with alkynes, 270
Nitrosyl complexes
One step substitution of NO and Cl by a metal-S-C-N-ring in $CpCr(NO)_2Cl$: synthesis and molecular structure of CpCr(NO)'DMPYS' (Cp = π-C_5H_5; DMPYS = 4,6-dimethylpyrimidine-2-thiolato), 177
NMR multinuclear
Hexa(1-alkynyl)disilanes. Synthesis, structure and 1,1-ethylboration, 97
NMR spectra
Syntheses and properties of some *exo*,*exo*-bis(isodicyclopentadienyl)titanium low-valent complexes, 81
NO-complexes of chromium
One step substitution of NO and Cl by a metal-S-C-N-ring in $CpCr(NO)_2Cl$: synthesis and molecular structure of CpCr(NO)'DMPYS' (Cp = π-C_5H_5; DMPYS = 4,6-dimethylpyrimidine-2-thiolato), 177
Nucleophilic substitution
Synthesis of Sb-chiral organoantimony compounds having intramolecular Sb···N interaction and their separation into optically pure compounds via *ortho*-palladated benzylamine complexes, 234

Odd carbon bridges
Carbon chain bridged metals: a theoretical approach. Odd chains, 156
Olefins
Oxidation of olefins by palladium(II). 18. Effect of reaction conditions, substrate structure and chiral ligand on the bimetallic palladium(II) catalyzed asymmetric chlorohydrin synthesis, 168

Optical resolution
Synthesis of Sb-chiral organoantimony compounds having intramolecular Sb···N interaction and their separation into optically pure compounds via *ortho*-palladated benzylamine complexes, 234
Organoboration
Hexa(1-alkynyl)disilanes. Synthesis, structure and 1,1-ethylboration, 97

Palladium
Ligand effect on the cationic palladium complexes in polymerization of vinyl ethers, 199
Palladium complexes
Synthesis of Sb-chiral organoantimony compounds having intramolecular Sb···N interaction and their separation into optically pure compounds via *ortho*-palladated benzylamine complexes, 234
Palladium(II)
Oxidation of olefins by palladium(II). 18. Effect of reaction conditions, substrate structure and chiral ligand on the bimetallic palladium(II) catalyzed asymmetric chlorohydrin synthesis, 168
Palladium(II) complexes
Palladium-catalyzed formation of 3,5-diaryl-1,2,4-selenadiazoles from arylselenocarboxamide, 274
Pentaarylcyclopentadienyliron dicarbonyl bromide complexes
Preparation and characterization of substituted pentaarylcyclopentadienyliron dicarbonyl bromide complexes containing methyl or fluorine substituents on the arene rings, 146
Phosphine
Ligand effect on the cationic palladium complexes in polymerization of vinyl ethers, 199
Phosphines
Synthesis and characterisation of derivatives of [$HIr_4(CO)_{10}(\mu$-$PPh_2)$] with mono and diphosphines; X-ray molecular structures of [$HIr_4(CO)_8(PPh_3)_2(\mu$-$PPh_2)$] and [$HIr_4(CO)_8${$Ph_2P(CH_2)_nPPh_2$}$(\mu$-$PPh_2)$] (n = 1 and 4), 188
P-ligands
Isolation and structural characterisation of two sterically crowded diphosphanes, 43
Polymerization
Ligand effect on the cationic palladium complexes in polymerization of vinyl ethers, 199
Synthesis of zirconocene amides and ketimides and an investigation into their ethylene polymerization activity, 63
P–P bond
Isolation and structural characterisation of two sterically crowded diphosphanes, 43
Primary arsine
'User-friendly' primary phosphines and an arsine: synthesis and characterization of new air-stable ligands incorporating the ferrocenyl group, 120
Primary phosphine
'User-friendly' primary phosphines and an arsine: synthesis and characterization of new air-stable ligands incorporating the ferrocenyl group, 120
Pyridine ligands
Reactions of cobaloxime η^1-allyl complexes with electron deficient alkenes, 217
Pyridine-2-thiolato complexes
New insights into the reactivity of the tantalocene hydride Cp'_2TaH_3 ($Cp' = \eta^5$-$^tBuC_5H_4$). Synthesis and characterisation of cationic Ta(V) complexes with 0,0 and *S*,*N* chelating ligands, 139

Quantum chemical calculations
Chromium tricarbonyl complexes with biphenylene as η^6 ligand: synthesis, structure, dynamic behaviour in solid state and

thermal η^6,η^6-haptotropic rearrangements. Experimental (NMR) and theoretical (DFT) studies, 27

Radiochemistry
Radiochemical study of the gas phase reaction of nucleogenic diethylsilylium ions with methanol and butanol, 258
Radiochromatography
Radiochemical study of the gas phase reaction of nucleogenic diethylsilylium ions with methanol and butanol, 258
Reaction intermediates
The reaction of $Co_2(CO)_8$ and $Co_4(CO)_{12}$ with the dipropargylamine [$(HC{\equiv}CCMe_2)_2NMe$]. Synthesis and crystal structure of the complex $Co_4(CO)_{10}(\mu\text{-}CO)[H_2C{=}CC(Me)_2N(Me)C(Me_2)\text{-}C(\mu_4\text{-}C)]$, 57
Rearrangement reaction
The rearrangement of 3-vinylcyclobutene derivatives promoted by metallic Lewis acids, 299
Reduction
Isolation and structural characterisation of two sterically crowded diphosphanes, 43
Rhenium(I)
Reaction of bromopentacarbonylrhenium(I) with ferrocenylcarbaldehyde thiosemicarbazones: the first X-ray diffraction studies of metal carbonyl complexes containing bidentate thiosemicarbazone ligands, 1
Rhodium–acetylacetonate dimers
Rhodium complexes of 3,4-di(β-naphthyl)-2,5-diarylcyclopentadienone: indirect detection of slowed naphthyl rotation, 243
Ruthenium
Electrochemistry of $Ru_2Cp_2'(CO)_4$ and $Ru_2Cp_2(CO)_3(PMe_3)$ and the estimation of $Ru_2(\mu\text{-}H)$ bond dissociation enthalpies, 181

Sb-Chiral compounds
Synthesis of Sb-chiral organoantimony compounds having intramolecular Sb···N interaction and their separation into optically pure compounds via *ortho*-palladated benzylamine complexes, 234
Sensor
Synthesis of novel chiral bis(ferrocenyl) ligands and their use as voltammetric metal cation sensors, 211
Silanes
Hexa(1-alkynyl)disilanes. Synthesis, structure and 1,1-ethylboration, 97
Silyl derivatives of ferrocene with pending indenyl or fluorenyl substituents at silicon, 71
Silylium cations
Radiochemical study of the gas phase reaction of nucleogenic diethylsilylium ions with methanol and butanol, 258
$S_{RN}1$ reaction, HME reaction
Mechanistic studies on the reactions of trimethylsilanide and trimethylstannylide ions with haloarenes in hexamethylphosphoramide, 108
Substitution in nitrosyl complexes
One step substitution of NO and Cl by a metal-S-C-N-ring in $CpCr(NO)_2Cl$: synthesis and molecular structure of CpCr(NO)'DMPYS' (Cp = π-C_5H_5; DMPYS = 4,6-dimethylpyrimidine-2-thiolato), 177
Synthesis
Syntheses and structural characterization of transition metal tetrahedral clusters $(\eta^5\text{-}RC_5H_4)(CO)_8MoRu_2H(\mu_3\text{-}S)$ and $[(\eta^5\text{-}RC_5H_4)(CO)_4MoRu(\mu_3\text{-}S)]_2$ generated by isolobal reactions, 228

Tantalocene hydrides
New insights into the reactivity of the tantalocene hydride $Cp_2'TaH_3$ ($Cp' = \eta^5\text{-}{}^t BuC_5H_4$). Synthesis and characterisation of cationic Ta(V) complexes with 0,0 and *S*,*N* chelating ligands, 139
Template effect
The reaction of $Co_2(CO)_8$ and $Co_4(CO)_{12}$ with the dipropargylamine [$(HC{\equiv}CCMe_2)_2NMe$]. Synthesis and crystal structure of the complex $Co_4(CO)_{10}(\mu\text{-}CO)[H_2C{=}CC(Me)_2N(Me)C(Me_2)\text{-}C(\mu_4\text{-}C)]$, 57
Thiolato complexes of chromium
One step substitution of NO and Cl by a metal-S-C-N-ring in $CpCr(NO)_2Cl$: synthesis and molecular structure of CpCr(NO)'DMPYS' (Cp = π-C_5H_5; DMPYS = 4,6-dimethylpyrimidine-2-thiolato), 177
Thiosemicarbazone
Reaction of bromopentacarbonylrhenium(I) with ferrocenylcarbaldehyde thiosemicarbazones: the first X-ray diffraction studies of metal carbonyl complexes containing bidentate thiosemicarbazone ligands, 1
Titanium
Niobium, titanium, zirconium and hafnium complexes incorporating germanium bridged *ansa* ligands. X-Ray crystal structures of $[Zr\{Me_2Ge(\eta^5\text{-}C_5Me_4)_2\}Cl_2]$ and $[M\{Me_2Ge(\eta^5\text{-}C_5Me_4)(\eta^5\text{-}C_5H_4)\}Cl_2]$ (M = Zr, Hf), 129
Syntheses and properties of some *exo*,*exo*-bis(isodicyclopentadienyl)titanium low-valent complexes, 81
Titanocene(II) and zirconocene(II) complexes
Bis(η^5-cyclopentadienyl)- and bis(η^5-indenyl)metallacycles of titanium and zirconium from methylenecyclopropanes by oxidative coupling, 288
Tricarbonyl chromium complexes
Chromium tricarbonyl complexes with biphenylene as η^6 ligand: synthesis, structure, dynamic behaviour in solid state and thermal η^6,η^6-haptotropic rearrangements. Experimental (NMR) and theoretical (DFT) studies, 27
Trimethylsilanide ions
Mechanistic studies on the reactions of trimethylsilanide and trimethylstannylide ions with haloarenes in hexamethylphosphoramide, 108
Trimethylsilylisodicyclopentadienyl ligand
Syntheses and properties of some *exo*,*exo*-bis(isodicyclopentadienyl)titanium low-valent complexes, 81
Trimethylstannylide ions
Mechanistic studies on the reactions of trimethylsilanide and trimethylstannylide ions with haloarenes in hexamethylphosphoramide, 108

Variable-temperature NMR
Rhodium complexes of 3,4-di(β-naphthyl)-2,5-diarylcyclopentadienone: indirect detection of slowed naphthyl rotation, 243
Vinyl ether
Ligand effect on the cationic palladium complexes in polymerization of vinyl ethers, 199

X-ray
Hexa(1-alkynyl)disilanes. Synthesis, structure and 1,1-ethylboration, 97
Silyl derivatives of ferrocene with pending indenyl or fluorenyl substituents at silicon, 71
X-ray crystallography
Rhodium complexes of 3,4-di(β-naphthyl)-2,5-diarylcyclopentadienone: indirect detection of slowed naphthyl rotation, 243
X-ray structure analysis
Chromium tricarbonyl complexes with biphenylene as η^6 ligand: synthesis, structure, dynamic behaviour in solid state and thermal η^6,η^6-haptotropic rearrangements. Experimental (NMR) and theoretical (DFT) studies, 27
X-ray structures
Syntheses and structural characterization of transition metal tetrahedral clusters $(\eta^5\text{-}RC_5H_4)(CO)_8MoRu_2H(\mu_3\text{-}S)$ and $[(\eta^5\text{-}RC_5H_4)(CO)_4MoRu(\mu_3\text{-}S)]_2$ generated by isolobal reactions, 228

Zirconium
Niobium, titanium, zirconium and hafnium complexes incorporating germanium bridged *ansa* ligands. X-Ray crystal structures of [Zr{$Me_2Ge(\eta^5$-$C_5Me_4)_2$}Cl_2] and [M{$Me_2Ge(\eta^5$-$C_5Me_4)(\eta^5$-$C_5H_4)$}Cl_2] (M = Zr, Hf), 129

Synthesis of zirconocene amides and ketimides and an investigation into their ethylene polymerization activity, 63